

# Horizontal Rich Color LED Screen Indoor, Fixed RGB Indoor LED Video Wall

# **Basic Information**

Place of Origin: ChinaBrand Name: Vegoo

Certification: CE/ROHS/FCC/
 Model Number: VG-FD 3
 Minimum Order Quantity: negotiation
 Price: negotiation

Packaging Details:
 Plywood case / Flight case / Carton box

• Delivery Time: 15 working days

Payment Terms: L/C, T/T

• Supply Ability: 3000 Sq.m / month



# **Product Specification**

Product Name: LED Screen Indoor

Type: HorizontalPixel Pitch: 3mm

• Pixel Configuration: 1R1G1B/SMD2121 Black Lamp

Density: 111,111pixel/m2Moduel Size(L×W)mm: 192mm×192mm

Brightness: 800cd/

Other Name: Indoor LED Video Wall
 Highlight: full color led display board, indoor advertising led display

### **Product Description**

#### Horizontal Rich Color LED Screen Indoor , Fixed RGB Indoor LED Video Wall

#### **LED Screen Indoor Description:**

- 1) High refresh rate , high brightness and high contrast which make the screen without any delay and smear phenomenon under direct sunlight.
- 2) Energy saving: low electric current, high-bright lamps
- 3) The brightness can be adjustable to meet the need of changing environment
- 4) Wide viewing angle: The horizontal and vertical viewing angles are so wide that it is suitable for wide horizontal
- 5) Environment protection, antistatic, dust-proof, good heat dissipation, cost-effective .
- 6) Error detection and monitoring:it can monitor the inner temperature,voltage,cooling fans etc and error detection automatically.
- 7) High reliability: using distributed scanning technology and module design technology that make higher reliability and stability.
- 8) Steady and reliable system:with strong anti-interference ability and long service life that can continually work for over 24 hours, and it's easy to operate the system.

#### **Remote Control**

Can realize remote control and send alarm signal to operators in case of logging failure (Be customized)

#### **Self-checking Technique**

Self-inspection, communication test, power test, temperature monitoring (Be customized)

#### **LED Screen Indoor Specification**

Product Name	Horizontal Rich Color LED Screen Indoor , Fixed RGB Indoor LED Video Wall
Pixel Pitch	3mm
Pixel Configuration	1R1G1B/SMD2121 Black lamp
Density	111,111pixel/m2
Moduel Size(L×W)mm	192mm×192mm
Cabinet Size(L×W×H)mm	576mm×576mm×90mm
Module Resolution	64×64
Cabinet Resolution	192×192
Driving Method	1/32 Scan
Driving IC	MBI5124 or ICN 2038S
Brightness	800cd/
Contrast	1000:1
Brightness Adjustment	Auto and Manual
Power Consumption	Max Power: 800W
	Average power: 200W
Module Weight	0.25kg
Color Temperature	9500K—11500K
Horizontal Viewing Angle	140º
Vertical Viewing Angle	140º
Signal Processing	10 or 14bit
Grey Processing	1024×1024×1024 16834×16834×16834
Control Distance	cable100m,Multimode500m,Single mode 2km
Frame Frequency	65 Hz
Refresh Rate	>1920Hz
Control Mode	Synchronous/Asynchronous
The Opposite Calibration Curve	With Eight Optional Gamma Calibration Curve
	Users can choose the recommended curve or adjust it based on actual situation
MTBF	>50000 hours
Life Span	100,000 Hours
Operating Temperature	Working : -20 - 65 ℃
	Storage : -40 - 85 °C
Environment Temperature	-30°C to 60°C; humidity Rh10% to 95%

Operating System Platform	WindowsNT,Windows2000,WindowsXP,Windows 7
Power Supply	AC 110-220V
Protection	dustproof, high temperature pervention, anticorrosion, smoulderproof, anti-static, shockproof, lightningproof, smoke alarm and temperature alarm. (Be customized)

## **LED Screen Indoor Applications:**

Stage Background Airport Station Television Relay

#### **LED Screen Indoor Details**



# Our service

- 1. Your inquiry related to our products or price will be replied in 2hrs
- 2. OEM customized products
- 3. 2 years warranty
- 4. Complaint respond period not exceed 24 hours; maintenance guidance and problem solution supplied in 48 hours.
- 5.Free technician training..
- 6.Top quality+Reasonable price+Responsible After Service=Successful & Win





86-15118043086



Linda@vegooled.com



hdled-display.com