



## High Definition LED Wall Screen Display Outdoor , 3mm P3 Outdoor LED Display

Our Product Introduction

### Basic Information

- Place of Origin: Made in China
- Brand Name: Vegoo
- Certification: CE/ROHS/FCC
- Model Number: VG-P3-160w/h-out2
- Minimum Order Quantity: negotiation
- Price: negotiation
- Packaging Details: Strong light flight case,plywood case
- Delivery Time: 10-25 days
- Payment Terms: L/C, T/T
- Supply Ability: 5000sq.m/month



### Product Specification

- Name: LED Wall Screen Display Outdoor
- Density: 111,111pixel/m<sup>2</sup>
- Moduel Size(L×W)mm: 160×160mm
- Contrast: 7000:1
- Application: Audio Video Display
- Scan: 1/13
- Function1: High Definition
- Function2: High Frame Rate
- Highlight: **outdoor advertising led display screen, outdoor digital signage displays**

for more products please visit us on [hdled-display.com](http://hdled-display.com)

## Product Description

### High Definition LED Wall Screen Display Outdoor , 3mm P3 Outdoor LED Display

#### LED Wall Screen Display Outdoor Application

1. Rental display;
2. Advertising LED display;
3. LED TV;
4. Full color anomalous display etc.

- HOTEL LOBBY ● EXHIBITION CENTER
- SHOPPING MALL ● RESTAURANT
- CINEMA ● FUNCTIONAL ADVERTISING
- STORE OUTLET ● PROMOTION ACTIVITY
- EVENTS ● REAL ESTATE BUSINESS


#### LED Wall Screen Display Outdoor Description

Type	G series G3	LED type	SMD1921
(1)LED chips			
NO.	Color	Iv(mcd) Typ	Rd(nm) Typ
1	R(test condition:15mA,2.0V)	350mcd	622nm
2	G(test condition:8mA,3.0V)	620mcd	530nm
3	B(test condition:5mA,3.0V)	95mcd	472nm

1	LED type	FM-B1921RGBA-HG
2	pitch	3mm
3	configuration	1R1G1B
(2)module		
1	module resolution(W×H)	53dots×53dots
2	module dimension(W×H×D)	160mm×160mm×28mm
3	mask	Flame retardant PVC

(3)control system		
1	the processing color depth	R,G,B≥16bit
2	driving method	constant current driving 1/13 scan
3	frame rate	60Hz (3D high refresh rate :120Hz)
4	refresh rate	Regular refresh rate:≤900Hz high refresh rate:≤1920Hz
5	panel color Temp	2000K 9500K(adjustable)
6	brightness adjustment	manually/Auto/programme control
7	pixel correction	point by point correction
8	control method	synchronism
9	software interface	Windows XP /7/8/10
10	input signal	HDMI,DVI

#### LED Wall Screen Display Outdoor Details



**Waterproof**

Front IP65,RearIP54

**about us**

Audio visual factory with 12 years experience of manufacturing and exporting all over the world.  
Skilled at rental LED display seamless installation and mainly expanded small pixel pitch indoor LED displays.

**Certificates**

RoHS/CCC/CE/EMC/ISO /FCC certifications.

For better quotations, include:

- A self introduction
- Special requests, if any

**Vegoo** 威固电子 **Shenzhen Weigu Electronic Technology Co., Ltd.**

☎ 86-15118043086

✉ Linda@vegooled.com

🌐 hdled-display.com

806 Building 1 Geya Technology Building, Clock Base, Ma Tou community, Ma Tian Street, Guangming District ,  
Shenzhen, China