

Digital Videos Stage LED Screens , Bright P4.81 Rental LED Display Panel

Our Product Introduction

for more products please visit us on hdled-display.com


Basic Information

- Place of Origin: Made in China
- Brand Name: Vegoo
- Certification: CE/ROHS/FCC/CCC
- Model Number: VGRDP4.81-3.91
- Minimum Order Quantity: negotiation
- Price: negotiation
- Packaging Details: Flight case, 1mx1.2x1m
- Delivery Time: 15-25 days
- Payment Terms: T/T, Western Union
- Supply Ability: 5000sq.m/month




Product Specification

- Pixel Configuration Indoor: 1R1G1B/SMD2121 Black Lamp
- Pixel Configuration Outdoor: 1R1G1B/SMD1921 White Lamp
- Density: 65,536 Pixel/m2
- Moduel Size(LxW)mm: 250mmx250mm
- Cabinet Size 2: 500mmx500mm
- Cabinet Size(LxWxH)mm: 500mmx1000mm
- Brightness: 1000cd/
- Contrast: 1000:1
- Material1: Nova System
- Application: Retal Outdoor And Indoor
- Type: Moving Display Rent Use
- Others: Curve Shape
- Function: Stage Show
- Additional: P1.9,P2.9



More Images



Product Description

P4.81 Rental LED Display P3.91 led Pantallas Digital Videos Indoor Outdoor Stage Entertainment

Product type for rental stage application :

P3, P3.91,P4.81,P3.98,P4.8,P5 HD indoor and outdoor.

Features and Advantages:

Slim and Light Weight Die Casting Aluminum Cabinet Design

Weight only 8kg, easy to handle. Die cast aluminum cabinet, perfect splicing without gaps. Fast locking makes assembly and disassembly extremely easy. High-quality plugs ensure reliability.

Front Maintenance Magnetic Module

Snap-in quick disassembly design, maintenance and installation is more efficient and convenient.

Absolute 4K HD Display Visual Effects

High contrast 3000:1 and HD 4K perfect picture quality, bring you absolute visual enjoyment. easily attract attention, greatly enhance the value of advertising.

P4.81 outdoor Full color LED Display Specification

Shenzhen WeiGu Electronic Technology Co.,Ltd.

P4.81 Outdoor Full color LED Display Specification

N O:	Product Name	Specification
1	Pixel Pitch	4.81mm
2	Pixel Configuration	1R1G1B/SMD2727
3	Density	43,243 pixel/m ²
4	Module Size(L×W)mm	250mm×250mm
5	Cabinet Size(L×W×H)mm	500mm×500mm×90mm
6	Module Resolution	52×52
7	Cabinet Resolution	104×104
8	Driving Method	1/13 Scan
9	Driving IC	MBI5124
10	Brightness	4500cd/
11	Contrast	1000:1
12	Brightness Adjustment	Auto and Manual
13	Power Consumption	Max Power: 560W
14		Average power: 320W
15	Module Weight	0.663kg
16	Color Temperature	9500K—11500K
17	Horizontal Viewing Angle	140°
18	Vertical Viewing Angle	140°
19	Signal Processing	10 or 14bit
20	Grey Processing	1024×1024×1024 16834×16834×16834
21	Control Distance	cable100m,Multimode500m,Single mode 2km
22	Frame Frequency	65 Hz
23	Refresh Rate	>1920Hz
24	Control Mode	Synchronous/Asynchronous
25	The Opposite Calibration Curve	With Eight Optional Gamma Calibration Curve
26		Users can choose the recommended curve or adjust it based on actual situation
27	MTBF	>50000 hours
28	Life Span	100,000 Hours
29	Operating Temperature	Working : -20 - 65 °C
30		Storage : -40 - 85 °C

31	Environment Temperature	-30°C to 60°C; humidity Rh10% to 95%
32	Remote Control	Can realize remote control and send alarm signal to operators in case of logging failure (Be customized)
33	Self-checking Technique	Self-inspection, communication test, power test, temperature monitoring (Be customized)
34	Operating System Platform	WindowsNT,Windows2000,WindowsXP,Windows7
35	Power Supply	AC 110-220V
36	Protection	waterproof, dustproof, high temperature pervention, anticorrosion, smoulderproof, anti-static, shockproof, lightningproof, smoke alarm and temperature alarm. (Be customized)

Service and Guarantees

Services Before-sale:Set a special telephone line to resolve the confusion from clients and supply free technology services by telephone.Consider the demands of clients carefully , study the situation of the installation condition , Team up the related staff and workers promptly , give clients design program details to help them choose the products which they wanted as soon as possible

Service In - sales :Try the best to meet the reasonable demands by clients Provisional changed .Keep close touch with the clients during the period if installation .Cooperate friendly with the clients, satisfy the clients with the best quality of led display .

Service After-sale:Normal products have one year guarantee, and whole life maintenance, free charges . we just charge materials cost only if products out off guarantee.You can down load and upgrade the related operating software of Led display freely from our company website , so as to resolve the problems when you use our led display .Check the quality of appliance , do maintenance job and ask good suggestions form clients on a regular time schedule .



Shenzhen Weigu Electronic Technology Co., Ltd.



86-15118043086



Linda@vegooled.com



hdled-display.com

806 Building 1 Geya Technology Building, Clock Base, Ma Tou community, Ma Tian Street, Guangming District , Shenzhen, China