

## High Brightness P3.91 Transparent LED Panel / LED Display Screen Wall Waterproof IP42

Our Product Introduction

for more products please visit us on [hdled-display.com](http://hdled-display.com)


### Basic Information

- Place of Origin: CHINA
- Brand Name: VEGOO
- Certification: CE ROHS FCC
- Model Number: VG-SUN8887
- Minimum Order Quantity: Negotiable
- Price: Negotiable
- Packaging Details: Plywood case / Flight case / Carton box
- Delivery Time: 20-35 working days
- Payment Terms: T/T
- Supply Ability: 3000 sqm per month



### Product Specification

- Module Size: 250\*250mm
- Module Resolution: 64\*32
- Input Voltage: DC5V
- Transparency Rate: 55%
- Module Power: 25w
- Cabinet Size: 1000\*500\*65mm
- Cabinet Resolution: 128\*128
- Cabinet Material: Aluminum, PC, Stamping Parts
- Cabinet Weight: 7.5kg
- Protection Grade: IP42
- LED Specification: Outdoor SMD1921
- Refresh Rate: 2880Hz
- Highlight: transparent led video wall,  
transparent led panel



### More Images




## Product Description

### High Brightness P3.91 Transparent LED Panel Sales Transparent LED Display Screen Wall waterproof IP42

1. High Transparency  
High resolution, it can be noticed when viewing from five meters or more.
2. Easy Installation  
Super quick and easy for installation.
3. Light Weight  
It weighs half of most LED displays.
4. High Brightness & Low consumption  
It is visible under direct sun light and can be used 24/7.
5. Easy Maintenance and Operate  
Good quality for long life expectancy (100,000 hrs). Replaced LED strips are swapped in easily and don't need to replace the entire panel.

#### Technical specifications:

P3.91MM	
color	full color
transparency rate	55%
module power	25W
max consumption	400W/
cabinet resolution	W256*H64
input voltage	AC220V/(110V)±15%,47 63Hz
cabinet material	aluminum, PC, stamping parts
protection grade	IP42
pixel pitch	H:3.9mm V:7.8mm
LED specification	OUTDOOR SMD1921
pixel density	32768
scan mode	1/16
brightness(CD/m <sup>2</sup> )	3500-4500
working humidity	10% 95%RH
working temperature	-20~50C°
working life	≥30000H
signal transfer	Internet cable





**Our service :**

1) After-sale technical guidance


For installation and use, please feel free to contact us at any time, we will reply within 24h. For large projects, we will provide free online video training for your engineers for a week. If necessary, we will arrange our engineers to do on-site guidance. (The relevant cost of on-site guidance will be borne by the customer)

2) Warranty

3 years.

3) Maintenance terms

If the product broken down during normal use and storage, our company will be responsible for maintenance during the warranty period and will bear all maintenance costs. If the warranty period has passed, only the material cost fee is charged, no other labor fee etc.

 **Shenzhen Weigu Electronic Technology Co., Ltd.**

 86-15118043086

 [Linda@vegooled.com](mailto:Linda@vegooled.com)

 [hdled-display.com](http://hdled-display.com)

806 Building 1 Geya Technology Building, Clock Base, Ma Tou community, Ma Tian Street, Guangming District, Shenzhen, China