

# Vegoo Fixed Full Color Smd 6000cd/ Outdoor P10 LED **Display**

#### **Basic Information**

. Place of Origin: China . Brand Name: Vegoo CE · Certification:

VG-P10-DH3 Model Number:

• Minimum Order Quantity: 1sqm • Price: \$360/Sqm

· Packaging Details: Plywood case / Flight case / Carton box

• Delivery Time: 10-20 days

• Payment Terms: T/T

5000 Sqm/month . Supply Ability:



### **Product Specification**

• Pixel Pitch: 10mm

• Moduel Size(L×W)mm: 320mm×160mm

• Cabinet Size(L×W×H)mm: 960mm×960mm×130mm

6000cd/ • Brightness:

• Highlight: 6000cd/ p10 led screen,

Smd p10 rgb led module



## More Images






## **Product Description**

Vegoo Fixed Installation Full Color Smd Outdoor P10 LED Display For Advertising

P10 Outdoor Full color LED Display Specification		
NO :	Product Name	Specification
1	Pixel Pitch	10mm
2	Pixel Configuration	1R1G1B/SMD3535
3	Density	10,000 pixel/m2
4	Moduel Size(L×W)mm	320mm×160mm
5	Cabinet Size(L×W×H)mm	960mm×960mm×130mm
6	Module Resolution	32×16
7	Cabinet Resolution	96×96
8	Driving Method	1/ 4 Scan
9	Driving IC	FM6124
10	Brightness	6000cd/
11	Contrast	6000 :1
12	Brightness Adjustment	Auto and Manual
13	Power Consumption	Max Power: 520W
14	Power Consumption	Average power: 250W
15	Cabinet Weight	28kg
16	Color Temperature	2000K—9500K
17	Horizontal Viewing Angle	140º
18	Vertical Viewing Angle	140º
19	Signal Processing	16bit
20	Grey Processing	1024×1024×1024 16834×16834×16834
21	Control Distance	cable100m,Multimode500m,Single mode 2km
22	Frame Frequency	65 Hz
23	Refresh Rate	>1920Hz
24	Control Mode	Synchronous/Asynchronous
25	The Opposite Calibration	With Eight Optional Gamma Calibration Curve
26	Curve	Users can choose the recommended curve or adjust it based on actual situation
27	MTBF	>50000 hours
28	Life Span	100,000 Hours
29	Operating Temperature	Working: -20 - 65 °C
30	Operating reinperature	Storage : -40 - 85 °C
31	Environment Temperature	-30°C to 60°C; humidity Rh10% to 95%
32	Remote Control	Can realize remote control and send alarm signal to operators in case of logging failure (Be customized)
33	Self-checking Technique	Self-inspection, communication test, power test, temperature monitoring (Be customized)
34	Operating System Platform	WindowsNT,Windows2000,WindowsXP,Windows7
35	Power Supply	AC 110-220V/5V60Hz
36	Protection	waterproof, dustproof, high temperature pervention, anticorrosion, smoulderproof, anti-static, shockproof, lightningproof, smoke alarm and temperature alarm. (Be customized)



## Our Service

#### Why choose us?

- 1) We provide you with wholesale price.
- 2) All of our panel brands are Samsung and LG.
- 3)All of our electronic components are supplied by Megmeet.
- 4) Factory provides customized design product
- 5) 72hrs aging testing to make sure goods 100% ok before shipment.

- 6) The delivery time will be guaranteed to keep your bussiness normally running.
- 7) All of our products pass the certificates of CCC, CE, FCC, ROHS, ISO9001, to ensure the quality for you.
- 8)If you need any other certificate, we also can do it for you with 100% support if possible
- 9) After sales service:video technical support,free spare parts,field installtion,field maintenance and repair service,online support.
- 10) Warranty: 2 years
- 12) Long-term free technology consultation and support .

## Shenzhen Weigu Electronic Technology Co., Ltd.

86-15118043086



Linda@vegooled.com



hdled-display.com

806 Building 1 Geya Technology Building, Clock Base, Ma Tou community, Ma Tian Street, Guangming District , Shenzhen, China