

Dynamic P4.81 Outdoor LED Display for OOH Entertainment and Public Events

Basic Information

Place of Origin: ChinaBrand Name: Vegoo

Certification: CE,FCC,RoHS

Model Number: P2.976-P3.91-P4.81-P5.95-rtl
 Minimum Order Quantity: 1 module (sample available)

Price: 845usd/sqm

Packaging Details: Five in one flight case in size of

1050mm*271mm*612mm

Delivery Time: 25 days
Payment Terms: T/T
Supply Ability: 8000sqm



Product Specification

Usage: OOH Entertainment

Portability: Quick To Set-up And Remove, Easy To

Move

Screen Expression: Bright, Colorful, Dynamic, Vivid
 Highlight: OOH Entertainment LED Display,

Public Events LED Display, P4.81 Outdoor LED Display



More Images





Product Description

Company Profile

About Us

Shenzhen Weigu Electronic Technology Co. Ltd (brand: Vegoo) is a new high-tech enterprise who specializes in the R&D, manufacture, sales and service of LED displays. Our factory covers an area of nearly 10,000 square meter, monthly production reach to 8,000 square meters of LED display with 15 sets high-speed SMD machine.

R&D ensure the Performance

Vegoo builds R&D department since 2016 that develops new products to satisfy the customers' demands. All our products have been tested by professional agency and got the certificates of RoHS, CE, EMC, FCC. We providing more thoughtful services to our customers, ensuring product quality and cost-effectiveness.

A Wide Range of Products

Our main products include LED rental display series, outdoor advertising board series, indoor small pixel pitch series, stadium display series, window transportation display series, LED ball and various kinds of heteromorphic displays and more.

Widely Used in Various Public Places

Products are widely used in various public places: such as commercial plaza, government agency, stadiums, transport facilities, financial institutions, theater, performance hall, etc. Our Products are exported to the United States, Europe, Southeast Asia and other countries, HongKong, Taiwan and other regions.


Partner with Us Today


For your assurance, we provide one-year warranties for our products after delivery from factory. To source high-quality LED displays, call or email us today.

Specifications

	Specifications
Pixel Pitch	3.91mm
Pixel Configuration	1R1G1B/SMD1921
Pixel Density	65,536 pixel/m2
Moduel Size(L×W)	250mm×250mm
Cabinet Size(L×W×H)	500mm×1000mm×33mm
Module Resolution	64×64
Cabinet Resolution	128×256
Driving Method	1/16 Scan
Driving IC	MBI5124
Brightness	4500cd/
Contrast	5000:1
Brightness Adjustment	Auto and Manual
Power Consumption	Max Power: 800W/, average power: 400W/
Cabinet Weight	4kg
Color Temperature	2000K-9500K
Viewing Angle (H/V)	140º /120º
Signal Processing	16bit
Control Distance	cable 100m ormultimode 500m
Frame Frequency	60Hz
Refresh Rate	>1920Hz
MTBF	>50000 hours
Lifespan	100,000 Hours
Operating Temperature	Working : -20 ~ 65 °C, storage : -40 ~ 85 °C
Environment Temperature	-30°C ~ 60°C
Power Supply	110-220VAC/5VDC
IP code	65

Case





Vegoo Shenzhen Weigu Electronic Technology Co., Ltd.

86-15118043086

Linda@vegooled.com

hdled-display.com

806 Building 1 Geya Technology Building, Clock Base, Ma Tou community,Ma Tian Street,Guangming District , Shenzhen,China