



Tailor-Made Shape Size Iron Panel Outdoor P6 Led Display for High Brightness Advertising

Our Product Introduction

Basic Information

- Place of Origin: Shenzhen, China
- Brand Name: Vegoo
- Certification: CE, FCC, RoHS
- Model Number: Outdoor-P6-Ad
- Minimum Order Quantity: 1 module (Sample advaible)
- Price: 750-610USD/sqm
- Packaging Details: Four 960*960*130mm panels in one plywood case, package size 976*972*534mm
- Delivery Time: 30 days
- Payment Terms: T/T
- Supply Ability: 8000sqm per month



Product Specification

- Usage: OOH Advertising
- Brightness: 5500nits
- Panel Size: 960mm*960mm*130mm
- Panel: Die-casting Aluminum, Iron
- Service: Free Solution And Technical Support, Custom Design
- Highlight: **High Brightness Outdoor LED Display, Tailor Made Outdoor LED Display, P6 Outdoor LED Display**



More Images



for more products please visit us on hdled-display.com

Product Description

Company Profile

About Us

Shenzhen Weigu Electronic Technology Co. Ltd (brand: Vegoo) is a new high-tech enterprise who specializes in the R&D, manufacture, sales and service of LED displays. Our factory covers an area of nearly 10,000 square meter, monthly production reach to 8,000 square meters of LED display with 15 sets high-speed SMD machine.

R&D ensure the Performance

Vegoo builds R&D department since 2016 that develops new products to satisfy the customers' demands. All our products have been tested by professional agency and got the certificates of RoHS, CE, EMC, FCC. We providing more thoughtful services to our customers, ensuring product quality and cost-effectiveness.

A Wide Range of Products

Our main products include LED rental display series, outdoor advertising board series, indoor small pixel pitch series, stadium display series, window transportation display series, LED ball and various kinds of heteromorphic displays and more.

Widely Used in Various Public Places

Products are widely used in various public places: such as commercial plaza, government agency, stadiums, transport facilities, financial institutions, theater, performance hall, etc. Our Products are exported to the United States, Europe, Southeast Asia and other countries, HongKong, Taiwan and other regions.

Partner with Us Today

For your assurance, we provide one-year warranties for our products after delivery from factory. To source high-quality LED displays, call or email us today.

Specifications

Pixel Pitch	6mm
Pixel Configuration	1R1G1B/SMD3535
Pixel Density	27,777 pixel/m ²
Module Size(L×W)	192mm×192mm
Cabinet Size(L×W×H)	960mm×960mm×130mm
Module Resolution	32×32
Cabinet Resolution	160×160
Driving Method	1/8 Scan
Driving IC	FM6124
Brightness	6500cd/
Contrast	6000:1
Brightness Adjustment	Auto and Manual
Power Consumption	Max Power: 800W/ , average power: 400W/
Cabinet Weight	25kg
Color Temperature	2000K-9600K
Viewing Angle (H/V)	140° /120°
Signal Processing	16bit
Control Distance	cable 100m ormultimode 500m
Frame Frequency	60 Hz
Refresh Rate	>1920Hz
MTBF	>50000 hours
Lifespan	100,000 Hours
Operating Temperature	Working : -20 ~ 65 °C, storage : -40 ~ 85 °C
Environment Temperature	-30°C ~ 60°C
Power Supply	110-220VAC/5VDC
IP code	65

Cases



