



P2.5 LED Poster Mirror LED Screen GOB 1920mm X 640mm Floor Stand LED Poster Screen

Our Product Introduction

for more products please visit us on hdled-display.com


Basic Information

- Place of Origin: China
- Brand Name: Vegoo
- Certification: CE,FCC,ROHS
- Model Number: VG-GOB-P2.5-1
- Minimum Order Quantity: Negotiable
- Price: Negotiable
- Packaging Details: 2000 X 100 X 850mm
- Delivery Time: 7-15 working day
- Payment Terms: T/T
- Supply Ability: 1000 sets per month



Product Specification

- Pixel Pitch: P1.875 P2 P2.5
- Light Source: GOB LED
- Size: Customized
- Type: Moveable
- Life Span: 100000hrs
- Keywords: Poster Display Stand
- Brightness: 5000cd/
- Cabinet Size: 640X480mm
- Highlight: Floor Stand LED Poster Mirror, GOB Floor Stand LED Poster Screen, P2.5 LED Poster Mirror



More Images



Product Description

Poster LED Display P2.5 Display Size 1920mm X 640mm Aluminum Indoor COB Poster Cabinet

Description:

These features make the P2.5 COB poster LED display ideal for use in retail stores, corporate environments, exhibitions, and any setting where high-quality visuals are essential.

1. Color Accuracy

Vibrant Colors: Capable of displaying a wide color gamut with high accuracy, providing vivid and engaging visuals.

2. Seamless Display

Uniform Surface: The COB design allows for a seamless display with minimal bezels, creating a continuous visual experience.

3. Low Power Consumption

Energy Efficiency: Optimized for lower power usage, contributing to cost savings and environmental sustainability.

4. Easy Maintenance

User-Friendly: The modular design allows for easy access to components for maintenance and repairs, reducing downtime.

5. Versatile Content Management

Dynamic Updates: Supports various content types, including static images, videos, and animations, with remote management capabilities.

6. Long Lifespan

Durability: Designed for longevity, often exceeding 100,000 hours of operational life with proper care.

Indoor Full Color P2.5 COB Led Display screen





Specifications:

Model Type	Vg-p2.5pp	vg-p2.5pl
Pixel pitch	3 mm	3mm
LED Type	SMD 2121 Mat Black	SMD 2121 Mat Black
Pixel type(R / G / B)	1R1G1B	1R1G1B
Module Pixel	64 x 128	64*128
Module Resolution	8,192	8,192
Module size	320mm x 160mm	320*160mm
Viewing Distance	≥ 3 M	≥ 3 M
brightness	≥ 1,000 cd/m ²	≥ 1,000 cd/m ²
Ratio	8192:1/16384:1	8192:1/16384:1
Viewing Angle	120° (H)/120°(V)	120° (H)/120°(V)
Weight	39kg	39kg
display Size	1920mm(H)X640mm(W)X45mm(T)	1920mm(H)X640mm(W)X45mm(T)
Case Material	Aluminum	Aluminum
Grayscale	16 bits RGB	16 bits RGB
Video frame rate	60 Hz	60 Hz
Refresh rate	> 1,200 Hz	> 1,200 Hz
Drive mode	1/16 scan	1/16 scan
Input voltage	AC90-240V	AC90-240V
Maximum Power Consumption	600W	600W
Average Power Consumption	280W	280W
Life Span	≥ 100,000 Hours	≥ 100,000 Hours
MTBF	≥ 10,000 Hours	≥ 10,000 Hours
Application	Indoor/ Semi-Outdoor	Indoor/ Semi-Outdoor
Control method:	Asynchronous(WIFI/USB/LAN)	Asynchronous(WIFI/USB/LAN/HDMI)

Temperature Operating (°C)	-.40° +75°	-.40° +75°
Working Humidity	10%–95%RH	10%–95%RH
Power Protection	Over-current/Over-voltage protection	Over-current/Over-voltage protection
Compliance	CE/ETL/ UL	CE/ETL/ UL
Joint screen qty(PCS)	1	2 to 10

Applications:

Shop poster
Stage
Restaurant
Hotel

Services Before-sale:

Set a special telephone line to resolve the confusion from clients and supply free technology services by telephone.

Consider the demands of clients carefully , study the situation of the installation condition , Team up the related staff and workers promptly , give clients design program details to help them choose the products which they wanted as soon as possible

Service In - sales :

Try the best to meet the reasonable demands by clients Provisional changed .
Keep close touch with the clients during the period if installation .
Cooperate friendly with the clients, satisfy the clients with the best quality of led display .

Service After-sale:

Normal products have two years guarantee, and whole life maintenance, free charges . we just charge materials cost only if products out off guarantee.

You can down load and upgrade the related operating software of Led display freely from our company website , so as to resolve the problems when you use our led display .

Check the quality of appliance , do maintenance job and ask good suggestions form clients on a regular time schedule .



Shenzhen Weigu Electronic Technology Co., Ltd.



86-15118043086



Linda@vegooled.com



hdled-display.com

806 Building 1 Geya Technology Building, Clock Base, Ma Tou community, Ma Tian Street, Guangming District ,
Shenzhen, China