

Indoor Fine Pixel Pitch P1.56 Aluminum Material Cabinet LED Display For High-End Commercial Applications

Our Product Introduction

for more products please visit us on hdled-display.com

Basic Information

- Place of Origin: China
- Brand Name: Vegoo
- Certification: CE/ROHS/FCC/
- Model Number: VG-FD 3
- Minimum Order Quantity: 1 Sq.m
- Packaging Details: Plywood case / Flight case / Carton box
- Delivery Time: 15 working days
- Supply Ability: 3000 Sq.m / month



Product Specification

- Module Resolutio: 128dots(W)*96dots(H)
- Pixel Pitch: 1.56mm
- Warranty: 2 Years
- Drive Type: Constant Drive
- Best Viewing Angle: H:140°; V:120°
- Recommended Viewing Distance: ≥1.5m
- Driver IC: ICN2163
- Refresh Rate: 3840Hz
- Operating Temperature/Humidity: -20°C ~+50°C
- Average Power Consumption: 120w/
- Highlight: P1.56 Indoor LED Display ,
Indoor Fine Pixel Pitch LED Display ,
Aluminum Material Cabinet LED Display



Product Description

Products Description

Vegoo small pixel pitch LED display was born to replace LCD video wall, it is more suitable for indoor high-end commercial applications. It provides a better color and visual experience with gaps.

We offer pitch LED display 6.67. LED digital display Conference display LED video wall Feel free to contact us.

Perfect visual representation

3840mm refresh, 160 degrees no dead Angle viewing experience, 5000:1 high contrast, 65536 gray level, perfect presentation of high-end small spacing standards.

Thin and light

A single cabinet weighs 30.5kg and is only 100mm thick. It can be hung on a wall. All cabinet components are accessible from the front and are equipped with magnetic tools to ensure efficient maintenance.

Silent operation

The fanless design, energy efficient IC and low heat transfer provide ultra-quiet LED display. Optional high-grade dual power signal transmission system High system stability, 100,000 hours of trouble-free operation.

advantage:

It can save costs, increase productivity and improve efficiencies of cost savings, increased productivity, improved efficiency, etc.




We believe INDOOR Full Color Display Screen VG-P1.56-48scan SMALL Digital Signage SPACING P1.56 SMD 31N Wholesale for council chamber offers an unmatched combination of quality, performance and value. If you have any questions about this product or would like to learn more about how it can benefit your business, please feel free to contact us.

We are committed to providing excellent customer service and helping our customers achieve their business goals. tions about this product or would like to learn more about how it can benefit your business, please don't hesitate to contact us. We are dedicated to providing excellent customer service and helping our customers achieve their business goals.

Technical Parameter

	Item	Parameter
Unit Module	Model Number	VG-P1.56-32scan
	Module Size	200mm*150mm
	Physical Pitch	1.56mm
	Physical Density	409600 dots/m2
	Pixel Configuration	1R1G1B
	LED Package Mode	SMD 3IN1-1010
	Module Resolution	128dots(W)*96dots(H)
	Max Power Consumption	14W
	Module Thickness	14mm
	Module Weight	358g
	Drive Type	Constant drive
	Scan Mode	1/32 scan
	Port Type	Customize
	Match Cabinet Size	W400mm*H300mm
Display Parameters	Best Viewing Angle	H:140° ;V:120°
	Recommended Viewing Distance	≥1.5m
	Driver IC	ICN2163
	Refresh Rate	3840Hz
	Brightness of White Balance	700cd/
	Input Voltage	110-220V;AC±10%
	Operating Temperature/Humidity	-20°C ~+50°C
	Average Power Consumption	120w/
	Max. Power Consumption	500w/
	Life Time	>100000 hours
	Bad Light Rate	<0.0001
	MTBF	>5000 hours

Detail Images



Product Packaging

Package Pictures:



Flight case



Wooden case



Moisture proof



Shenzhen Weigu Electronic Technology Co., Ltd.

86-15118043086

Linda@vegooled.com

hdled-display.com

806 Building 1 Geya Technology Building, Clock Base, Ma Tou community, Ma Tian Street, Guangming District, Shenzhen, China